



**Georgia  
Corrections  
Industries**



# TABLE OF CONTENTS

## TASK

<b>CXO</b> .....	<b>4 - 5</b>
<b>RAVEN</b> .....	<b>6 - 7</b>
<b>LXO</b> .....	<b>8 - 9</b>
<b>BLESS</b> .....	<b>10 - 11</b>
<b>MALIBU</b> .....	<b>12 - 13</b>
<b>VXO</b> .....	<b>14 - 15</b>

## EXECUTIVE

<b>PRESIDER</b> .....	<b>16 - 17</b>
<b>CAPITOL</b> .....	<b>18 - 19</b>

## LOUNGE/GUEST

<b>DANFORTH</b> .....	<b>20 - 21</b>
<b>TRULLO</b> .....	<b>22 - 23</b>
<b>EMILY</b> .....	<b>24 - 25</b>
<b>JOEY</b> .....	<b>26 - 27</b>
<b>EC4</b> .....	<b>28 - 29</b>

## HEAVY-DUTY AND 24-7 SEATING

<b>24/7 HD</b> .....	<b>30 - 31</b>
<b>CXOHD</b> .....	<b>32 - 33</b>
<b>SHERMAN</b> .....	<b>34 - 35</b>



## CXO | Tasking Seating



### DIMENSIONS

### MODEL 6200

Overall Width (Outer armrest to outer armrest)	26"-29"	Back Height (From compressed seat)	23"
Overall Depth (From seat to back of back rest)	22"-24"	Arm Width (Inner arm pad to inner arm pad)	17"-20.5"
Overall Height (Floor to top of back rest)	37.5"- 42.5"	Arm Height (Compressed seat to top of armrest)	7"-11"
Seat Width	21"	Seat Height	16"-21"
Back Width	22"	Seat Depth	19"-22"



**RATED FOR  
350LBS**

The CXO™ is the most comfortable chair in the world.



6200D



6200

#### **A. ADJUSTABLE HEADREST**

Optional headrest with Enersorb™ foam adjusts up/down and pivots backwards with an innovative coat hook built into it's design. Headrest is field installable. (Model 6200D)

#### **B. MESH BACK**

Mesh back with ABLEX™ patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort. Mesh encapsulated by frame back.

#### **C. LUMBAR SUPPORT**

The contoured lumbar support pad with Enersorb™ foam can be easily adjusted up/ down and in/out for personalized support and comfort. Static lumbar support located at 5.5" to 12.5" above compressed seat height. Independent adjustable lumbar support with 4" vertical range and 2" depth.

#### **D. 4D ARMRESTS**

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (4.5"), width (3.5") and depth adjustment (4").

#### **E. ENERSORB™**

Enersorb™ memory foam seat, lumbar and headrest disperses applied pressure evenly to reduce pressure points.

#### **F. MECHANISM**

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment pneumatic lift and an intuitive integrated seat slider for depth adjustment.

#### **G. BASE AND CASTERS**

5 prong base with anti-slip treads and 2" mag wheel carpet casters.



# Raven | Tasking Seating



## DIMENSIONS

## MODEL 2550D-UFST

<b>Overall Width</b> (Outer armrest to outer armrest)	27.5"	<b>Back Height</b> (From compressed seat)	With Headrest: 29" - 31" No Headrest: 24"
<b>Overall Depth</b> (Front seat to back of back rest)	26" - 27"	<b>Arm Width</b> (Inner arm pad to inner arm pad)	20"
<b>Overall Height</b> (Floor to top of back rest)	With Headrest: 40.5" - 44" No Headrest: 47" - 50.5"	<b>Arm Height</b> (Compressed seat to top of armrest)	7.75" - 9.75"
<b>Seat Width</b>	20"	<b>Seat Height</b>	16" - 19.5"
<b>Back Width</b>	20"	<b>Seat Depth</b>	18" - 19.5"



Long hours of both duty and play. Engineered for maximum support and durability, it delivers the perfect balance of strength, comfort, and practicality for those who demand more from their gear.

**RATED FOR  
300LBS**



**2550 Raven**

#### **A. BACK**

With Ablex mesh back, concave and convex shape molded nylon built-in, self pivoting integral lumbar support and with or without contoured adjustable headrest for continuous support and comfort.

#### **B. ADJUSTABLE ARMS**

Height adjustable arms with pivot and front/back adjustable polyurethane arm pads.

#### **C. SEAT**

Available with mesh or with upholstered contoured seat with waterfall design to minimize pressure on the thighs, promoting good posture.

#### **D. MECHANISM**

Synchro-tilt, swivel mechanism, cable activated with slow-release, multi-position tilt lock, seat slide adjustment, pneumatic seat height adjustment and tension control

#### **E. BASE**

5 Prong and aluminum base with graphite finish 2.5" carpet casters.



# LXO | Tasking Seating



## DIMENSIONS

## MODEL 6000

Overall Width (Outer armrest to outer armrest)	26"
Overall Depth (Front seat to back of back rest)	21"
Overall Height (Floor to top of back rest)	35" - 40"
Seat Width	20"
Back Width	18.5"

Back Height (From compressed seat)	22.5"
Arm Width (Inner arm pad to inner arm pad)	18" - 20"
Arm Height (Compressed seat to top of armrest)	7.5" - 11.5"
Seat Height	16" - 21"
Seat Depth	19" - 21"



The LXO series combines design, comfort, and the highest standards in ergonomic technology to three models: task, guest, and stool.

**RATED FOR  
300LBS**



**6000DS**



**6000**

**A. ABLEX™ MESH**

Allows air to pass freely and moves with you, providing dynamic comfort in all environments.

**B. SEAT**

Enersorb, memory foam seat to provide maximum support and comfort. Waterfall seat design gently slopes away from the legs, minimizing pressure on the thighs and promoting good posture.

**C. ADJUSTMENT MECHANISM**

Synchro-tilt, swivel mechanism with multi-position lock, and tension control.

**D. ADJUSTABLE ARMRESTS**

Easy to use, height-adjustable armrests with polyurethane pads for individualized comfort.

**E. HEIGHT ADJUSTMENT**

Pneumatic height adjustment mechanism for user support and comfort.

**F. BASE AND CASTERS**

5-prong, heavy-duty nylon base with standard 2" casters.



## BLESS | Tasking Seating



### DIMENSIONS

### MODEL 2100

Overall Width (Outer armrest to outer armrest)	23.5"-26"	Back Height (From compressed seat)	22.5"
Overall Depth (From seat to back of back rest)	20"-22"	Arm Width (Inner arm pad to inner arm pad)	17.5"-20"
Overall Height (Floor to top of back rest)	37"-42.5"	Arm Height (Compressed seat to top of armrest)	7"-10"
Seat Width	19.5"	Seat Height	16"-21"
Back Width	22"	Seat Depth	16.9"-18.9"



The Bless Collection is an ergonomic task chair built to cater high-performance tasks. Offers extensive features to exceed the requirements of an active work environment.



2100D



2100

#### A. ADJUSTABLE HEADREST

Easily adjust height and tilt for optimal neck/back support. (Model 2100D)

#### B. LUMBAR SUPPORT

Located at 5.5" to 13" above compressed seat height. Independent adjustable lumbar support with 4" vertical range.

#### C. 4D ARMS

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (3"), width (2.5") and depth adjustment (3").

#### D. MECHANISM

Self-weighted mechanism for the perfect tension with tilt lock. Pneumatic height adjustment and built-in seat slider. All controls clearly labeled and adjustable from a seated position.

#### E. BASE AND CASTERS

Glass reinforced nylon base with standard 2" dual-wheel carpet casters.

#### F. SEAT

High density foam seat with waterfall design for comfort.



# MALIBU | Tasking Seating



## DIMENSIONS

## MODEL 2200

Overall Width (Outer armrest to outer armrest)	23.5" - 26"	Back Height (From compressed seat)	21"
Overall Depth (From seat to back of back rest)	20" - 22"	Arm Width (Inner arm pad to inner arm pad)	17.5" - 20"
Overall Height (Floor to top of back rest)	37" - 42.5"	Arm Height (Compressed seat to top of armrest)	7" - 10"
Seat Width	19.5"	Seat Height	16" - 21"
Back Width	19.5"	Seat Depth	16.9" - 18.9"



The Malibu Collection is a lightweight chair designed for easy movement and ultra-breathability. With minimal adjustments, the Malibu supports you in all the right places.

**RATED FOR  
275LBS**



**2200DS**

**2200**

**A. LUMBAR SUPPORT**

Perforated flexing polypropylene back with built-in lumbar support designed to support the natural "S" curve of the spine. Located at 5.5" to 16".

**B. 4D ARMS LUMBAR SUPPORT**

Arms feature pivoting arm pads with a 30° range of motion inward and outward, height (3"), width (2.5") and depth adjustment (3").

**C. MECHANISM**

Self-weighted mechanism for the perfect pneumatic height adjustment and built-in seat slide. All controls clearly labeled and adjustable from a seated position.

**D. BASE AND CASTERS**

Sturdy nylon base paired with standard 2" dual-wheel carpet casters.



## VXO | Tasking Seating



### DIMENSIONS

### MODEL 7280

Overall Width (Outer armrest to outer armrest)	25"	Back Height (From compressed seat)	20"
Overall Depth (From seat to back of back rest)	22"	Arm Width (Inner arm pad to inner arm pad)	19"
Overall Height (Floor to top of back rest)	34"- 39"	Arm Height (Compressed seat to top of armrest)	6"-10"
Seat Width	20"	Seat Height	17"-22"
Back Width	18"	Seat Depth	19"



A simple, light-scale design that delivers remarkable comfort and dynamic support. The VXO™'s lumbar back support is easy to adjust and complements its many ergonomic features.



**RATED FOR  
300LBS**

7280-L



7280

#### **A. LUMBAR SUPPORT**

Static Lumbar Support Located at 5.5" to 14" above compressed seat height. Independent adjustable lumbar support with 4" vertical range.

#### **B. MECHANISM**

Swivel tilt mechanism with single position tilt lock and side tilt tension control. (Optional multi-tilt mechanism available)

#### **C. NEBULA MESH**

Opaque Nebula Mesh back.

#### **D. ARMS AND ARM PADS**

Spring loaded height adjustable arms (4" range) with polyurethane arm pads for comfort. Optional fixed cantilever arms.

#### **E. BASE AND CASTERS**

5 Star Heavy Duty Nylon Base with 2" carpet casters.



# PRESIDER | Executive Seating



## DIMENSIONS

	Model 7700A-CH
Overall Width (Outer armrest to outer armrest)	28"
Overall Depth (Front seat to back of back rest)	24"
Overall Height (Floor to top of back rest)	45" - 50"
Seat Width	22"
Back Width	21"
Back Height (From compressed seat)	29"
Arm Width (Inner arm pad to inner arm pad)	19"
Arm Height (Compressed seat to top of armrest)	7" - 11.5"
Seat Height	16" - 21"
Seat Depth	21"

	Model 7700D-A-CH
Overall Width (Outer armrest to outer armrest)	28"
Overall Depth (Front seat to back of back rest)	24"
Overall Height (Floor to top of back rest)	38" - 43"
Seat Width	22"
Back Width	21"
Back Height (From compressed seat)	22"
Arm Width (Inner arm pad to inner arm pad)	19"
Arm Height (Compressed seat to top of armrest)	7" - 11.5"
Seat Height	16" - 21"
Seat Depth	21"



Choose your look: available in vinyl or leather, polished aluminum or black base, soft tile casters, lumbar support, lumbar adjustment, seat slider, and multi-adjustable ergonomic arms.



7700D



7700D - CH

### A. LUMBAR SUPPORT

Static Lumbar Support located at 5.5" to 14" above compressed seat height for both models. Model 7700D-A-CH has built in thoracic support located at 23" to 29" above compressed seat height.

### B. 3D ARMS

Arms feature pivoting arm pads with a 30 degree range of motion inward and outward, height (4.5") and depth adjustment (4"). (Standard on 7700D-CH)

Note: Model 7700D Standard with Height Adjustable arms

### C. STANDARD CONFIGURATION

Fully upholstered Enersorb™ memory foam seat and back. For maximum comfort upholstered in vinyl, recommended.

### D. MECHANISM

Synchronous knee tilt mechanism, complete with intuitive tension control, multi-position tilt lock and pneumatic lift height adjustment.

### E. BASE AND CASTERS

5 star black base with 2" carpet casters. (7700D)  
5 Star Polished aluminum base with 2" carpet casters. (7700D-CH)

### F. ADJUSTABLE SEAT DEPTH SLIDER

Provides up to 2" of seat depth adjustment 7700D - CH to support users of varying heights and promote proper posture and comfort.

### OPTIONAL UPGRADES AVAILABLE

Polished aluminum base and arms. (7700D-CH)  
Soft tile casters, 3" caster, armless or standard height adjustable arms with elongated arm pads.  
Adjustable lumbar support.



# CAPITOL | Executive Seating



## DIMENSIONS

## MODEL 735 - D

Overall Width (Outer armrest to outer armrest)	27.5"	Back Height (From compressed seat)	31"
Overall Depth (From seat to back of back rest)	30.5"	Arm Width (Inner arm pad to inner arm pad)	20"
Overall Height (Floor to top of back rest)	45" - 48"	Arm Height (Compressed seat to top of armrest)	8"
Seat Width	20"	Seat Height	17-20"
Back Width	20.5"	Seat Depth	19"



The 735D Capitol chair embodies exceptional ergonomic design, seamlessly superior comfort and functionality.



735D-WP-MH



735D

#### A . INTEGRATED HEADREST

Generously upholstered, built-in headrest for comfort and support.

#### B. FULLY UPHOLSTERED ARMS

Thickly padded, fully upholstered arms, with wood detail option.

#### C. SUPPORTIVE SEAT AND BACK

Contoured back with built-in lumbar support high density, high resiliency seat and back foam for comfort and durability to enhance comfort

#### D. MECHANISM.

Swivel tilt mechanism, complete with Single position lock and tension control.

#### E. HEAVY DUTY BASE

5 prong, nylon base with optional steel base with hardwood caps and 2" carpet casters.



## DANFORTH II | Lounge & Guest Seating



### DIMENSIONS

1221-CH 1222-CH 1223-CH

1221-CH 1222-CH 1223-CH

Overall Width (Outer armrest to outer armrest)	32"	56"	80"	Back Height (From compressed seat)	17"	17"	17"
Overall Depth (From seat to back of back rest)	32"	32"	32"	Arm Width (Inner arm pad to inner arm pad)	17"	17"	17"
Overall Height (Floor to top of back rest)	27.5"	27.5"	27.5"	Arm Height (Compressed seat to top of armrest)	21"	21"	21"
Seat Width	24"	48"	72"	Seat Height	18"	18"	18"
Back Width	24"	48"	72"	Seat Depth	21"	21"	21"



The Danforth II Series brings a classic and refined look to your lounge space. Its modular construction is easy to move, repair, and assemble. No tools required. The Danforth is a versatile solution for all lounge seating needs.

**RATED FOR  
275LBS  
PER SEAT**



**1221CH-MF**

\*Flared arm style option shown

**THREE DIFFERENT ARM STYLE OPTIONS AVAILABLE**



**1221-CH-EL Square Arm**



**1221-CH-MF Flared Arm**



**1221-CH-RD Round Arm**

Note: Note: Shown with optional power option (EL)

**A. SEAT AND BACK**

Seat and back consist of primarily foam cushioning with a Dacron fiber filling for added comfort. The back foam is 24 3/4" wide x 19" high x 4 1/2" thick (1540RBR) covered with 1" thick fiber. The seat foam cushion is 24 1/2" wide x 23" deep x 5 1/2" thick (1836RBR) with a 1" thick fiber. The seat cushion rests upon a 3/4" thick plywood seat pad that is open in its center and supported with interlacing webbing 450lbs strength. The plywood seat pad is upholstered for pleasing appearance. The front rail and back rail are covered with 1/2" foam for appearance and have

connecting brackets attached to wood parts with metal to metal fasteners. The front and back rail are then fitted into slots on the arm panels resting upon metal pins for a secure connection.

**B. MODULAR CONSTRUCTION**


Parts that snap and lock into place - no tools required. Easy to move, assemble, and replace promoting longevity, ecofriendly, and great savings.

**C. POWER**

Optional power outlet and dual USB.



# TRULLO | Lounge & Guest Seating



## DIMENSIONS

	MODEL 3001		MODEL 3002		MODEL 3003
Overall Width (Outer panel to outer panel)	36.5"	Overall Width (Outer panel to outer panel)	55"	Overall Width (Outer panel to outer panel)	79.5"
Overall Depth (Front seat to back of back rest)	30"	Overall Depth (Front seat to back of back rest)	30"	Overall Depth (Front seat to back of back rest)	30"
Overall Height (Floor to top of back rest)	47"	Overall Height (Floor to top of back rest)	47"	Overall Height (Floor to top of back rest)	47"
Seat Cushion Width	30.5"	Seat Cushion Width	24.5"	Seat Cushion Width	24.5"
Back Width per Seat	30.5"	Back Width per Seat	24.5"	Back Width per Seat	24.5"
Back Height (From compressed seat)	33"	Back Height (From compressed seat)	33"	Back Height (From compressed seat)	33"
Seat Height	18"	Seat Height	18"	Seat Height	18"
Seat Depth	20.5"	Seat Depth	20.5"	Seat Depth	20.5"
Clearance between Panels	31"	Clearance between Panels	49"	Clearance between Panels	73.5"



The Trullo's three-seat couch option is perfect for a casual one-on-one meeting or a little 'me' time. Semi-private and comfortable, it just might be your favorite new space to meet!



3001-EL



#### A. STAY FOCUSED

Designed with thick, dual-panels that are fully upholstered to help

#### B. STAY POWERED

Optional power outlet and dual USB ports so you'll never run out of battery.

#### C. MODULAR CONSTRUCTION

Parts that snap and lock into place-no tools required. Easy to move, assemble, and replace promoting longevity of use.



#### D. BRUSHED ALUMINUM LEGS

Sturdy aluminum legs, coated with silver proxy and plastic glides.



# EMILY | Lounge & Guest Seating



## DIMENSIONS

### MODEL 610

Overall Width	15.5"
Overall Depth	15.5"
Overall Height	18"
Seat Height	15.25"
Seat Width	15.75"
Table Top Height	18"

### MODEL 611

Overall Width	15.5"
Overall Depth	15.5"
Overall Height	18"
Seat Height	15.25"
Seat Width	15.75"
Table Top Height	18"
Back Height	22"
Arm Width (inner arm to inner arm)	21"
Arm Height	7"
Seat Height	17"
Seat Depth	19"



Designed to be easily converted, the Emily is perfect for multi-tasking people and multi-purpose spaces.



### 610FREE STANDING SIDE TABLE & STOOL



Emily 611

#### A. FOAM

High-density, high resiliency foam for comfort and support with Enersorb topper for additional seating comfort

#### B. MECHANISM

Swivel-tilt mechanism with auto-swivel return feature and single-position lock.

#### C. BASE

Molded 5 prong nylon black base with nylon black vglides for stability.

Emily 610



## JOEY | Lounge & Guest Seating



### DIMENSIONS

Model 1310

Model 1311

Overall Width (Outer armrest to outer armrest)	44"	Overall Width (Outer armrest to outer armrest)	48"
Overall Depth (From seat to back of back rest)	33"	Overall Depth (From seat to back of back rest)	24.75"
Overall Height (Floor to top of back rest)	18.5"	Overall Height (Floor to top of back rest)	18.5"



The Joey system allows for endless spaces to energizing team pods.

Joey 1310



Joey 1310



Joey 1311

Joey's upholstery features high-density, high resiliency with a high-impact silver epoxycoat using an electrostatic application for corrosion resistance. Joey Lounge System components are easily separated and combined.



## EC4 | Lounge & Guest Seating



### DIMENSIONS

### MODEL 421

Overall Width (Outer armrest to outer armrest)	24"	Back Height (From compressed seat)	19.5"
Overall Depth (From seat to back of back rest)	21.5"	Arm Width (Inner arm pad to inner arm pad)	19.5"
Overall Height (Floor to top of back rest)	35"	Arm Height (Compressed seat to top of armrest)	7"
Seat Width	19.5"	Seat Height	17.5"
Back Width	20"	Seat Depth	19.5"



The EC4 features exquisite details that elevate its surroundings. Beautiful, ribbon-design arms, cast-aluminum frame, and contoured, modern seat and back reflect the EC4's timeless style. Top-grade upholstery creates a luxurious sitting experience. Designed to complement the first-class styling of the EC™ series, the EC4™ guest chair will complete your executive office.

**RATED FOR  
275LBS**



421

### **A. FRAME**

Polished aluminum, ribbon tapered arms for sophisticated and alluring look with polyurethane arms caps.

### **B. BACK AND SEAT**

Fully upholstered back and seat with high density, high resiliency, molded foam, for comfort and support.

### **C. GLIDES**

Non-marking nylon glides



## 24/7 - HD | 24/7 HR Heavy Duty Seating



### DIMENSIONS

#### MODEL 24/7 - HD

Overall Width (Outer armrest to outer armrest)	26.5" - 31"
Overall Depth (Front seat to back of back rest)	22" - 25"
Overall Height (Floor to top of back rest)	37.5" - 42.5"
Seat Width	21.5"
Back Width	22"
Back Height (From compressed seat)	24"
Arm Width (Inner arm pad to inner arm pad)	19.5" - 24"
Arm Height (Compressed seat to top of armrest)	8" - 12"
Seat Height	17" - 22"
Seat Depth	19" - 22"

#### MODEL 24/7 - HD-HR

Overall Width (Outer armrest to outer armrest)	26" - 31"
Overall Depth (Front seat to back of back rest)	22" - 25"
Overall Height (Floor to top of back rest)	48.5" - 53.5"
Seat Width	21.5"
Back Width	22"
Back Height (From compressed seat)	35"
Arm Width (Inner arm pad to inner arm pad)	19.5" - 24"
Arm Height (Compressed seat to top of armrest)	8" - 12"
Seat Height	17" - 22"
Seat Depth	19" - 22"



This Heavy-duty chair accommodates individuals up to 450lbs. Ideal for EMS workers, police officers, and any multi-shift work environment. Fits most body types with it's exceptional ergonomic support all day long.

**RATED FOR  
450LBS**



**24/7HD**



**24/7HD - HR**

**A. OPTIONAL HEADREST**

Ratchet height adjustable headset for optimal neck/back support.

**B. ERGONOMIC SUPPORT**

Compound curved back and built-in lumbar support provides the user with exceptional ergonomic support and comfort.

**C. WATERFALL SEATING**

Waterfall seat design gently slopes away from the legs, minimizing pressure on the thighs and promoting good posture.

**D. ADJUSTABLE ARMS**

Height and width adjustable arms with dense polyurethane arm pad for durability.

**E. SOLID BUILD**

Steel reinforced seat and back support, oversized cast aluminum base with 3" dual wheel carpet casters and heavy duty pneumatic lift.

**F. ADJUSTABLE MECHANISM**

Swivel-tilt mechanism with infinite position tilt lock with seat depth adjustment, pneumatic height adjustment and tension control.



## CXO - HD | Heavy Duty Seating



### DIMENSIONS

### MODEL 6200 - HD

Overall Width (Outer armrest to outer armrest)	26"-29"	Back Height (From compressed seat)	23"
Overall Depth (From seat to back of back rest)	22"-24"	Arm Width (Inner arm pad to inner arm pad)	17"-20.5"
Overall Height (Floor to top of back rest)	37.5"-42.5"	Arm Height (Compressed seat to top of armrest)	7"-11.5"
Seat Width	21"	Seat Height	17"-22"
Back Width	22"	Seat Depth	19"-21"



The CXOhd™ follows with near all the same features and styling of the CXO™, but reinforced in key locations to handle weights of up to 450lbs. Designed for weight capacity of up to 450lbs used in a normal 8 hour a day application.

**RATED FOR  
450LBS**



6200-hd



6200

#### **A. ADJUSTABLE HEADREST**

Optional headrest with Enersorb™ foam adjusts up/down and pivots backwards with an innovative coat hook built into its design. Headrest is field installable. (Model 6200D HD)

#### **B. MESH BACK**

Mesh back with ABLEX™ patterned weave provides generous lumbar support while allowing dynamic movement. Air flows freely through this breathable mesh for added comfort in any environment.

#### **C. LUMBAR SUPPORT**

The contoured lumbar support pad with Enersorb™ foam can be easily adjusted up and down and in and out for personalized support and comfort. (4" vertical range and 2" depth range to increase/decrease support)

#### **D. HEIGHT/ WIDTH ADJUSTABLE ARMS**

Easy to use adjustable arms with lockable vertical and horizontal movements for individual comfort.

#### **E. ENERSORB™**

Enersorb™ seat, lumbar and headrest foam disperses applied pressure evenly to reduce pressure points.

#### **F. MECHANISM**

Slow release synchronous knee tilt mechanism, complete with intuitive side tension control, infinite position tilt lock, height adjustment, pneumatic lift and an intuitive integrated seat slider for depth adjustment.



## SHERMAN | 24/7 Heavy Duty Seating



### DIMENSIONS

### MODEL HD9000

Overall Width (Outer armrest to outer armrest)	29"-32"	Back Height (From compressed seat)	24"
Overall Depth (From seat to back of back rest)	22"-24"	Arm Width (Inner arm pad to inner arm pad)	21"-24"
Overall Height (Floor to top of back rest)	41.5"-47"	Arm Height (Compressed seat to top of armrest)	8"-12"
Seat Width	23"	Seat Height	17.5"-22"
Back Width	22"	Seat Depth Adjustment	2" range



Designed and warranted for 24/7 use, the Sherman HD is ideal for law-enforcement or heavy duty use environments.



HD9000-DS

**RATED FOR  
350 LBS**



HD9000

**RATED FOR  
450 LBS**

#### **A. FOLD AWAY ARMS**

Heavy duty steel fold away arms that are width and height adjustable. Arm folds forward or back to a 90° with the chair. Topped with ultra-comfortable polyurethane arm pads.

#### **B. LUMBAR SUPPORT**

Static Lumbar Support Located at 5.5" to 12.5" above compressed seat height.

#### **C. MECHANISM**

Swivel mechanism with infinite position tilt lock, seat depth adjustment, pneumatic height adjustment, and tension control.

#### **D. BASE AND CASTERS**

28" 5 star structurally engineered base with 3" carpet casters or optional glides. HD9000DS features a height adjustable foot ring.

#### **E. HEAVY DUTY**

Reinforced steel seat and back bar. Weight rating of 450 lbs. and designed for 24/7 applications. Oversized molded foam seat pan with waterfall edge.

